



NATIONAL UNIVERSITY OF SCIENCE AND TECHNOLOGY

DEPARTMENT OF APPLIED CHEMISTRY

BACHELOR OF SCIENCE HONOURS DEGREE

END OF SECOND SEMESTER EXAMINATIONS – JUNE 2011

POLYMER SCIENCE II – SCH 2207

TIME: THREE (3) HOURS

INSTRUCTIONS TO STUDENTS

1. ANSWER ALL QUESTIONS FROM SECTION A AND ANY THREE FROM SECTION B. SECTION A CARRIES 40 MARKS AND EACH QUESTION IN SECTION B CARRIES 20 MARKS.
2. START EACH QUESTION ON A NEW PAGE.
3. GRAPH PAPER WILL BE PROVIDED ON REQUEST.

TOTAL MARKS = 100

THIS QUESTION PAPER CONSISTS OF *THREE PRINTED PAGES* (ON ONE SIDE ONLY) INCLUDING THE TOP PAGE WITH THE INSTRUCTIONS.

SECTION A: (Answer all questions in this section)



1. a) Differentiate between an ideal solution and a regular solution. (6 marks)
- b) What are colligative properties of materials? Give examples. (4 marks)
- c) Name five properties of a polymer that are dependent on the molecular weight. (5 marks)
- d) Give an expression of an ideal solution in thermodynamic terms i.e. using Gibbs energy. (4 marks)
- e) Name five factors that affect the dissolution of a polymer. (5 marks)
- f) What do you understand by molecular weight distribution (MWD) of a polymer? (3 marks)
- g) Draw a polymer Stress/Strain graph and indicate the following: Dilatant Substance; Newtonian Fluid and Pseudoplastic Material. (5 marks)
- h) Explain the relationship between CED and Solubility Parameter. (4 marks)
- i) What information about a polymer can we learn from using: IR-Spectroscopy and Proton NMR? (4 marks)

SECTION B: (Choose and answer three questions from this section)

2. a) Explain the underlying principles of **any two** of the following methods of polymer analysis;
 - i) differential thermal analysis
 - ii) differential scanning calorimeter
 - iii) x-ray diffraction analysis
 - iv) spectroscopic method of analysis (20 marks)
3. a) If the average molecular weight (M_n) of LDPE is 2.4×10^5 , what is the value of the degree of polymerization (DP) of the polymer? (6 marks)

- b) List these in order of decreasing value: M_v ; M_w ; M_z and M_n . (4 marks)
- c) What are the M_n and M_w values for a mixture of five molecules each having the following molecular weights: 1.25×10^6 , 1.35×10^6 , 1.50×10^6 , 1.75×10^6 and 2.00×10^6 ? (10 marks)

4. Estimate the solubility parameters of the following materials using SMALL/HOY attraction constants given below:



(20marks)

* \bullet - 6-member ring

—O—	114.98
—C=	117.12
$\text{—CH}_2\text{—}$	131
>CH—	85.99
6-member ring	-23.44
OH	225.84
$\quad $	
—C—	32.03
$\quad $	

Density of polymer: 1.15g/cm^3

5. a) Outline the three stages of formation of a polymer crystal from a dilute solution. (12 marks)
- b) Name four parameters that affect T_g . (4 marks)
- c) Differentiate between crystalline and amorphous polymers. (4 marks)

End of question Paper