

**NATIONAL UNIVERSITY OF SCIENCE AND TECHNOLOGY**  
**DEPARTMENT OF CIVIL AND WATER ENGINEERING**  
**FACULTY OF INDUSTRIAL TECHNOLOGY**  
**BACHELOR OF ENGINEERING (HONOURS) DEGREE**  
**PART II FIRST SEMESTER EXAMINATION – APRIL/MAY 2009**  
**MECHANICS OF SOLIDS – TCW 2101**

**INSTRUCTIONS**


Answer all questions. All questions carry equal marks

Time: 3 hours

Total Marks: 100

**QUESTION 1**


- a) A member ABCD is subjected to point load  $P_1$ ,  $P_2$ ,  $P_3$  and  $P_4$  as shown in the fig1a. Calculate the force  $P_3$  necessary for equilibrium if  $P_1 = 110\text{kN}$ ,  $P_2 = 200\text{kN}$  and  $P_4 = 175\text{kN}$ . Determine also the net change in length of the member. Take  $E = 200 \times 10^5 \text{ N/mm}$ . **(6 marks)**



- (b) Derive an expression for the extension of a uniformly tapering bar which tapers from a diameter  $d_1$  at the larger end to a diameter  $d_2$  at the smaller end. **(6 marks)**
- (c) A steel bar 6m long is at a temperature of  $26^\circ\text{C}$ . Find the free expansion of the length when the temperature is raised to  $60^\circ\text{C}$ . Find also the temperature stress produced when Take  $E = 12 \times 10^5$
- (i) The extension of the rod is prevented. **(6 marks)**
- (ii) When the rod is allowed to expand by 4.7mm. **(6 marks)**
- (d) Explain how stress is induced in a number when its temperature is altered. **(2 marks)**

## **QUESTION 2**

- (a) List any three types of support connections. **(3 marks)**
- (b) Draw the shear force, normal force and bending moment diagrams for the beam shown in fig 2(b). **(15 marks)**
- (c) State the relationship between the bending moment and deflection of a beam. **(2marks)**




**Fig 2b**

## **QUESTION 3**

- (a) State any four (4) assumptions in the theory of bending (elastic). **(4 marks)**
- (b) Define the term 'section modulus'. **(2marks)**
- (c) A rolled steel; joint of I section has following dimensions:  
(i) Flange: 300mm (width) x 24mm (thickness)  
(ii) Web: 16mm (thickness)  
(iii) Overall depth: 600mm

If the beam carries a uniformly distributed load of 50kN/m on a span of 9m, calculate the stress produced due to bending. **(7marks)**

- d) Find the moment of inertia, section modulus and moment of resistance for the section shown below. **(5marks)**



(e) What is the angle of obliquity that gives:

- (i) Maximum normal stress and (ii) Maximum tangential stress on an axially loaded member. **(2 marks)**

#### **QUESTION 4**

- (a) Under what condition does torsion occur? **(3 marks)**
- (b) List four (4) assumptions in the theory of pure torsion. **(4 marks)**
- (c) A hollow shaft of 25mm outside diameter and 16mm internal diameter is subjected to a torque of 400Nmm. Find the shear stresses at the outside and inside of the shaft. **(4 marks)**
- (d) A steel shaft transmits 110HP at 160rpm. If the shaft is 100mm in diameter, find the torque on the shaft and the maximum shear stress induced. Find also the twist in a 6m length. Take  $C = 8 \times 10^2 \text{ N/mm}^2$ . **(9 marks)**

### **QUESTION 5**

- a) Define (i) Stress and (ii) Strain **(3 marks)**
- (b) State Hook's law and draw a well labeled stress-strain curve for a typical elastic material. **(4 marks)**
- (c) What is the difference between the Modules of Elasticity and the Shear Modulus (Modulus of rigidity) **(2 marks)**
- (d) (i) A load of 35N has to be hoisted at the end of a steel wire. If the tensile stress in the wire must not exceed  $0.6\text{N/mm}^2$ , what is the minimum required diameter of the wire? What will be the extension of the wire if it is 2.5m long? Take  $E=2 \times 10^5 \text{ N/mm}^2$ . **(5 marks)**
- (ii) A steel rod, 2.5mm in diameter is subjected to an axial pull of 75kN. Find
- (a) the stress in the rod
- (b) the strain in the rod and,
- (c) the elongation of the rod **(6 marks)**

