# NATIONAL UNIVERSITY OF SCIENCE AND TECHNOLOGY DEPARTMENT OF CIVIL AND WATER ENGINEERING FACULTY OF INDUSTRIAL TECHNOLOGY BACHELOR OF ENGINEERING (HONOURS) DEGREE SECOND SEMESTER-PART V EXAMINATIONS MAY 2008 FOUNDATION ENGINEERING DESIGN TCW 5202

#### **INSTRUCTIONS**

**Answer ALL QUESTIONS** 

**OPEN BOOK EXAMINATION** 

Time 4 hours.
Total Marks 100

#### **QUESTION ONE**

(a) Describe Geotechnical processes and their importance in foundation engineering.

Marks 5

(b) Describe any three methods of geotechnical processes.

Marks 15

#### **QUESTION TWO**

Design a cantilever footing to support two columns supporting the following loads.

External Column (boundary): Characteristic dead load of 400 kN

Characteristic live load of 200 kN

Internal Column: Characteristic dead load of 750 kN

Characteristic live load of 300 kN

The columns are 450mm square and are at 4.0 meter centres Assume safe bearing pressure of the soil to be 250kN/mm<sup>2</sup>. Material properties are: Concrete Grade 30 and reinforcement Grade 460. Assume cover to reinforcement to be 40mm.

Marks 40

## **QUESTION THREE**

- (a) Describe
- (i) End bearing piles and (ii) Friction bearing piles

Marks 8

(b) What is the Standard penetration test and its purpose in foundation engineering.

Marks 7


### **QUESTION FOUR**

A rectangular foundation  $6m \times 3m$  carries a uniform pressure of  $300kN/m^2$  near the surface of a soil mass.

(a) Determine the vertical stress at a depth of 3m below the centre of the foundation.

Marks 10

(b) Determine the vertical stress at a depth of 3m below a point (A) in the figure



Marks 15

